
PRODUCT-DETAILS

SP20/E

SP20 PLAIN TERMINATION



General Information

Extended Product Type	SP20/E
Product ID	7TCA296020R0145
EAN	5020963012167
Catalog Description	SP20 PLAIN TERMINATION
Long Description	1/2 Inch Nickel Plated Brass Conduit Terminator

Ordering

EAN	5020963012167
Customs Tariff Number	7412200090

Dimensions

Product Net Weight	.017 lb 7.71 g
--------------------	-------------------

Container Information

Package Level 1 Units	10 piece
Package Level 2 Units	1000 piece
Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in

	25 mm
Package Level 2 Depth / Length	1 in
	25 mm

Additional Information

Application	Cable Protection at Conduit Entry / Exit Point
Brand / Label	Adaptaflex
Color	Metallic
Insulation Class	IP54
Material	Brass
Number of Batteries	0
Product Name	ADAPTAFLEX
Product Type	Conduit Terminator
Size	1/2 Inch
Special Functions	Very High UV Protection and High Degree of Mechanical Protection
Surface Finishing	Nickel Plated
Temperature Range	Static -50 to +300 °C
UPC	786210247762

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SP20/E
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SP20/E

Classifications

ETIM 6	EC000814 - Threaded bush
ETIM 7	EC000814 - Threaded bush
UNSPSC	39121312
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4442 >> Electrical bushing

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

